


INSTALLATION INSTRUCTIONS


VEHICLE COVER

PART NUMBER: MZ313481



TOOLS REQUIRED


NO TOOLS REQUIRED





Page 1 of 3


Issue Date: 6/17/2005


Form # 1320029














CARE and USE

WASHING

Note: Cover may be washed in a large automatic washer without agitator found in most commercial Laundromats.

DO NOT use machines with agitators.

DO NOT use home-type washers.

- 1. Use liquid, All-Purpose Cleaner only; not soap or detergent.
- 2. Wash in "Normal" or "Permanent Press" cycle.
- 3. Use only Cold or Warm water.
- 4. Rinse thoroughly, normally two rinse cycles.
- 5. Air dry only. DO NOT use dryer.

WARNINGS

- 1. **Re-painted Vehicles** Use of a cover on any recently painted surface may cause damage. Consult body shop for specifics.
- 2. **High Wind Areas** The cover should be checked and secured for high winds.
- 3. **Freezing Weather** In freezing conditions it is possible for the cover to become frozen to a layer of ice. If necessary, pour warm water over the vehicle before attempting to remove cover. Carefully remove cover using more warm water as needed.
- 4. **Personalized Markings** Acceptable marking paint on this material is a permanent type fabric / T-shirt paint. Use a single coat and follow the manufacturer's instructions.